

# **GHS Safety Data Sheet**

# PANAX CARMINE HF-GP

1. IDENTIFICATION	
A. Product name	
- PANAX CARMINE HF	-GP
B. Recommended use and	d restriction on use
- General use	: Solvent Ink
- Restriction on use	: No data available
C. Supplier information	
- Company name	: UKSEUNG CHEMICAL CO., LTD.
- Address	: 174, Gaejwa-ro, Geumjeong-gu, Busan, Korea
- Telephone number	:+82-51-718-5340, 5345
2. HAZARD IDENTIFICAT	TION

# A. GHS Classification

- Skin sensitization : Category1
- Chronic aquatic toxicity : Category4

# **B. GHS label elements**





 $\circ$  Signal words

- Warning

- Hazard statements
  - H317 May cause an allergic skin reaction
  - H413 May cause long lasting harmful effects to aquatic life

# • Precautionary statements

#### 1) Prevention

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P272 Contaminated work clothing should not be allowed out of the workplace.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

#### 2) Response

- P302+P352 IF ON SKIN: Wash with plenty of soap and water.
- P321 Specific treatment
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362+P364 Take off contaminated clothing and wash it before reuse.

# 3) Storage

- Not applicable
- 4) Disposal
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulation

# C. Other hazards which do not result in classification : (NFPA Classification)

- NFPA grade (0 ~ 4 level)
  - Health : 1, Flammability : 1, Reactivity : 0

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Trade names and Synonyms	CAS No.	Content(%)
Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]- 2-naphthoate	C.I. Pigment Red 57:1	5281-04-9	85~95
Rosin	Gum Rosin	8050-09-7	5~15

# 4. FIRST AID MEASURES

#### A. Eye contact

- Do not rub your eyes.
- Immediately flush eyes with plenty of water for at least 15minutes and call a doctor/physician.

# **B.** Skin contact

- Flush skin with plenty of wter for at least 15 minutes while removing contaminated clothing and shoes.
- Laundering enough contaminated clothing before reuse.
- Go to the hospital immediately if symptoms(flare, irritate) occur.
- Wash thoroughly after handling.

# C. Inhalation contact

- When exposed to large amounts of steam and mist, move to fresh air.
- Take specific treatment if needed.

#### **D. Ingestion contact**

- About whether I should induce vomiting Take the advice of a doctor.
- Rinse your mouth with water immediately.

#### E. Delayed and immediate effects and also chronic effects from short and long term exposure

- Not available

#### F. Notes to physician

- Notify medical personnel of contaminated situations and have them take appropriate protective measures.

#### **5. FIREFIGHTING MEASURES**

# A. Suitable (Unsuitable) extinguishing media

- Dry chemical, carbon dioxide, regular foam extinguishing agent, spray
- Avoid use of water jet for extinguishing

#### B. Specific hazards arising from the chemical

- Not available

#### C. Special protective actions for firefighters

- Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank.
- Using a unattended and water devices in case of large fire and leave alone to burn if you do not imperative.
- Avoid inhalation of materials or combustion by-products.
- Do not access if the tank on fire.
- Use appropriate extinguishing measure suitable for surrounding fire.
- Keep containers cool with water spray.

# 6. ACCIDENTAL RELEASE MEASURES

# A. Personal precautions, protective equipment and emergency procedures

- Must work against the wind, let the upwind people to evacuate.
- Do not touch spilled material. Stop leak if you can do it without risk.
- Handling the damaged containers or spilled material after wearing protective equipment.
- Avoid skin contact and inhalation.

#### **B.** Environmental precautions

- Prevent runoff and contact with waterways, drains or sewers.
- If large amounts have been spilled, inform the relevant authorities.

#### C. Methods and materials for containment and cleaning up

- Large spill : Stay upwind and keep out of low areas. Dike for later disposal.
- Notification to central government, local government. When emissions at least of the standard amount
- Dispose of waste in accordance with local regulation.
- Appropriate container for disposal of spilled material collected.
- Prevent the influx to waterways, sewers, basements or confined spaces.

# 7. HANDLING AND STORAGE

#### A. Precautions for safe handling

- Avoid direct physical contact.
- Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is emptied.
- Comply with all applicable laws and regulations for handling
- Dealing only with a well-ventilated place.

#### B. Conditions for safe storage, including any incompatibilities

- Save applicable laws and regulations.
- Do not apply any physical shock to container.
- Avoid direct sunlight.
- Keep in the original container.
- Please pay attention to incompatibilities materials and conditions to avoid.
- Collected them in sealed containers.
- Store away from water and sewer.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# A. Exposure limits

• ACGIH TLV

- [Rosin] : SEN

### **B. Engineering controls**

- A system of local and/or general exhaust is recommended to keep employee exposures above the Exposure Limits. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. The use of local exhaust ventilation is recommended to control emissions near the source.

# C. Individual protection measures, such as personal protective equipment

- Respiratory protection
  - Under conditions of frequent use or heavy exposure, Respiratory protection may be needed.
  - Respiratory protection is ranked in order from minimum to maximum.
  - Consider warning properties before use.

• Eye protection

- Wear primary eye protection such as splash resistant safety goggles with a secondary protection face shield.
- Provide an emergency eye wash station and quick drench shower in the immediate work area.
- Hand protection

- Wear appropriate glove.

- Skin protection
  - Wear appropriate clothing.
- $\circ \, {\rm Others}$ 
  - Not available

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

A. Appearance

- Appearance	Solid (Powder)
- Color	Red
B. Odor	Not available
C. Odor threshold	Not available
D. pH	7~9
E. Melting point/Freezing point	Not available
F. Initial Boiling Point/Boiling Ranges	Not available
G. Flash point	Not available
H. Evaporation rate	Not available
I. Flammability(solid, gas)	Not available
J. Upper/Lower Flammability or explosive limits	Not available
K. Vapour pressure	Not available
L. Solubility	100 mg/ℓ
M. Vapour density	Not available
N. Specific gravity(Relative density)	1.7g/cm <sup>3</sup>
O. Partition coefficient of n-octanol/water	Not available
P. Autoignition temperature	Not available
Q. Decomposition temperature	Not available
R. Viscosity	Not available
S. Molecular weight	Not available

# **10. STABILITY AND REACTIVITY**

# A. Chemical Stability

- This material is stable under recommended storage and handling conditions.

# B. Possibility of hazardous reactions

- Hazardous Polymerization will not occur.

#### C. Conditions to avoid

- Avoid contact with incompatible materials and condition.
- Avoid : Accumulation of electrostatic charges, Heating, Flames and hot surfaces

#### **D.** Incompatible materials

- Not available

# E. Hazardous decomposition products

- May emit flammable vapour if involved in fire.

#### **11. TOXICOLOGICAL INFORMATION**

# A. Information on the likely routes of exposure

- (Respiratory tracts)
- Not available
- o (Oral)

- Not available

- (Eye∙Skin)
  - May cause an allergic skin reaction

### B. Delayed and immediate effects and also chronic effects from short and long term exposure

- Acute toxicity
  - \* Oral
    - [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : LD50 > 5000 mg/kg Rat
  - \* Dermal
    - [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : LD50 > 2500  $\rm mg/kg$  Rat
    - [Rosin] : LD50 = 2500 mg/kg rabbit

# \* Inhalation

- [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : dust LC50 > 5.4 mg/L 4 hr Rat

- [Rosin] : LC50 = 2.3 mg/ $\ell$  4 hr Rat (conversion)

# • Skin corrosion/irritation

- Not available

# $\circ$ Serious eye damage/irritation

- Not available

### $\circ$ Respiratory sensitization

- Not available

# $\circ$ Skin sensitization

- May cause an allergic skin reaction

# $\circ$ Carcinogenicity

\* IARC

- Not available

- \* OSHA
  - Not available
- \* ACGIH
- Not available
- \* NTP
  - Not available
- \* EU CLP
- Not available
- $\circ$  Germ cell mutagenicity
  - Not available
- Reproductive toxicity
  - Not available
- STOT-single exposure
  - Not available
- STOT-repeated exposure
  - Not available
- Aspiration hazard
  - Not available

# **12. ECOLOGICAL INFORMATION**

# A. Ecotoxicity

- Fish
  - Not available
- Crustaceans
  - [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : EC50 280 mg/l 24 hr Daphnia magna
  - [Rosin] : EC50 = 4.5 mg/ $\ell$  48 hr
- Algae
  - $[Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate]: EC50 190 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ capricornutum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ capricornutum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ capricornutum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ capricornutum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ Selenastrum \ 100 \ {\rm mg}/\ell \ 72 \ hr \ 100 \ {\rm mg}/\ell \ 100 \ {\rm mg}/\ell \ 72 \ hr \ 100 \ {\rm mg}/\ell \ 100 \ {\rm mg}/$

# B. Persistence and degradability

#### Persistence

- [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : log Kow 1.1 (25 °C, pH 7)
- Degradability
  - Not available

# C. Bioaccumulative potential

- Bioaccumulative potential
  - [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : BCF 0.7
- $\circ$  Biodegration
  - [Calcium 3-hydroxy-4-[(4-methyl-2-sulphonatophenyl)azo]-2-naphthoate] : 9  $\sim$  12 (%) 28 day
  - [Rosin] : Biodegradability =  $36 \sim 48$  (%)

# D. Mobility in soil

- Not available

# E. Other adverse effects

# **13. DISPOSAL CONSIDERATIONS**

### A. Disposal methods

- Since more than two kinds of designaed waste is mixed, it is difficult to treat seperatly, then can be reduction or stabilization by incineration or similar process.

- If water separation is possible, pre-process with Water separation process.
- Dispose by incineration.

#### **B.** Special precautions for disposal

- The user of this product must disposal by oneself or entrust to waste disposer or person who other's waste recycle and dispose, person who establish and operate waste disposal facilities.

- Dispose of waste in accordance with all applicable laws and regulations.

# **14. TRANSPORT INFORMATION**

#### A. UN Number

- Sea transport (IMDG) : Not classified as a dangerous good under transport regulations
- Air transport (IATA) : Not classified as a dangerous good under transport regulations

#### B. UN proper shipping name

- Not applicable

#### C. Transport hazard class(es)

- Not applicable

# D. Packing group

- Not applicable

### E. Environmental hazards

- Not applicable

#### F. Special precautions for user

- None known

#### **15. REGULATORY INFORMATION**

#### A. National and/or international regulatory information

- POPs Management Law
  - Not applicable
- Information of EU Classification
  - \* Classification
  - [Rosin] : R43
  - \* Risk Phrases
  - [Rosin] : R43
  - \* Safety Phrase
    - [Rosin] : S2, S24, S37
- $\circ$  U.S. Federal regulations
  - \* OSHA PROCESS SAFETY (29CFR1910.119)
    - Not applicable
  - \* CERCLA Section 103 (40CFR302.4)
  - Not applicable
  - \* EPCRA Section 302 (40CFR355.30) - Not applicable
  - \* EPCRA Section 304 (40CFR355.40)
  - Not applicable \* EPCRA Section 313 (40CFR372.65)
    - Not applicable

- Rotterdam Convention listed ingredients - Not applicable
- Stockholm Convention listed ingredients - Not applicable
- Montreal Protocol listed ingredients
  - Not applicable

# **16. OTHER INFORMATION**

# A. Reference

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein.
This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

# B. Issue date

- 2008-02-25

# C. Revision number and Last date revised

- 9 times, 2023-05-23

# D. Other

- This SDS is prepared according to the Globally Harmonized System (GHS).